Antarctic Climate Change and the Environment


A DECADAL SYNOPSIS AND RECOMMENDATIONS FOR ACTION





STEVEN L CHOWN RACHEL I LEIHY TIM R NAISH CASSANDRA M BROOKS PETER CONVEY BENJAMIN J HENLEY ANDREW N MACKINTOSH LAURA M PHILLIPS MAHLON C KENNICUTT II SUSIE M GRANT

Environmental Change Summary



SEA LEVEL




Ice sheet contributions to global mean sea level rise have increased but the contribution so far has been small

> Current expectations for 2100 Antarctic contributions are UNCERTAIN

Projections 0.03 - 0.34 m


0.02 - 0.56 m ≈ 0.7 m

including non-linear processes




by 2300

MARINE LIFE



TERRESTRIAL LIFE



Antarctic Climate Change and the Environmen

Recommendations

POLICY RECOMMENDATIONS

Policy recommendations are made throughout this report. Here, these recommendations are made in order of significance. They include advice for the policymakers of the Antarctic Treaty System (ATS) and advice for National Antarctic Programs (NAPs). The recommendations from this report will be conveyed specifically to the XLIV Antarctic Treaty Consultative Meeting and, as appropriate, to the 41st Meeting of the Commission for the Conservation of Antarctic Marine Living Resources (CCAMLR).

PR1 The Antarctic Treaty Parties (ATPs) and observers to the Treaty should communicate to governments and to civil society the urgency of, at the very least, meeting the Nationally Determined Contributions (i.e., country greenhouse gas emissions reduction targets) of the Paris Climate Agreement to ensure that Antarctic and Southern Ocean environments are maintained in a state close to that known for the past 200 years, and in so doing help ensure achievement of the Sustainable Development Goals. The ATPs and observers are also encouraged to convey to governments, to parties to other international environmental agreements, and to civil society the outcomes of climate change-related research, and the benefits of informed immediate management actions in the Antarctic region. The need for additional extensive research to resolve uncertainties about cryosphere change, its rate, and its implications is urgent. Equally pressing is the need for effective communication to international efforts to address climate change beyond Antarctica.

PR 2 The Antarctic Ice Sheet (AIS) is changing rapidly, with the anthropogenic signal starting to become apparent. The AIS is projected to contribute substantially to global mean sea level rise, but the risks of significantly larger rates and magnitudes of sea level rise from rapid ice sheet mass loss in the coming decades to centuries are not well known, particularly from vulnerable marine basins in West Antarctica and parts of East Antarctica. Reducing this uncertainty is a globally urgent research priority that will require further support from NAPs. Novel observations along sensitive marine-based sectors, and from paleoclimate archives, are urgently needed over the time scale of a decade to improve understanding of the physical processes driving the retreat, document the current evolution in detail, and comprehensively, and critically improve the skills of numerical projections.

PR 3 The consequences of sea level rise and melting ice (sea, land and shelves) around Antarctica's coastline will present significant risks to society. The need for, and outcomes from, research on sea level in the Antarctic should be communicated by the ATPs and observers: to international agreements, governments at all levels, the economic sector, and to civil society, as these entities will largely have to plan for, manage, and endure the impacts of sea level rise and its associated costs.

PR 4 The Southern Ocean is undergoing changes and these changes will continue under higher emissions scenarios. Major impacts on the cryosphere, marine ecosystems and their constituent species, and consequently on the ecosystem services they deliver, including on systems and services outside the Antarctic region, are expected. Significant changes are anticipated in areas that may be especially vulnerable to ice sheet instability and collapse once thresholds are reached. Changes to the Southern Ocean and its ecosystems will present growing management difficulties, logistics challenges and research requirements that will require special attention within the ATS. Research on these questions, including through expanded long-term monitoring, is imperative.

PR 5 Changes to the Southern Annular Mode, a major climate driver, have implications for climate means, and climate extremes which may be accompanied by extreme events, such as major fires and droughts, especially on Southern Hemisphere land masses. Research to support further understanding of these influences, and their interactions with greenhouse gas-related climate change, should be supported by NAPs. The outcomes of this work and its significance for disaster preparedness and environmental management must be communicated by the ATPs and observers to governments and to civil society.

PR 6 The ATPs have declared an obligation to implement the mitigation and adaptation actions that will reduce climate change-related and other human impacts on Antarctic marine and terrestrial environments, their ecosystems and biodiversity, and the ecosystem services they deliver. Continued support for the research required to deliver evidence-informed options for action, including through coordinated, international and transdisciplinary research efforts across Antarctica and the Southern Ocean by all ATPs; the development of an appropriately-resourced scientific workforce for the future; and well-supported long-term monitoring programs of the physical and living environment, are essential to meet this obligation. Our human future depends on the success of these actions.

PR7 National Antarctic Programs and International Association of Antarctica Tour Operators members are encouraged to strengthen biosecurity protocols for all pathways (ships, aircraft, and people), especially to the Antarctic Peninsula. Procedures to remove weeds and to trap other pests in ports of departure to the Antarctic need to be strengthened in anticipation of growing ease of establishment of non-native species owing to climate change. Surveillance and decision-making processes for determining actions for newly arrived species, especially in the vicinity of stations and sites with high visitor numbers, should be adopted. Collaborations with SCAR and other researchers are needed to establish an image- and DNA-based diagnostic service for newly detected species, building on the Barcode of Life Data System approach. **PR 8** The ATPs and members of the Committee for Environmental Protection (CEP) are encouraged to increase the priority given to documenting terrestrial and marine biodiversity (including in lakes and streams) at the population, species, and community levels. In some cases, to enable observation of these systems before they disappear. Such an enhanced focus, further informed by long-term monitoring of change, is essential to ensure the efficacy of environmental protection and to document the benefits of environmental management.

PR 9 The loss of sea ice, fast ice and ice shelves together with the expansion of ice-free areas on the Antarctic continent and changes to temperatures and precipitation, including extreme weather events, will present new challenges for the management of areas of high human activity in the Antarctic (including where infrastructure and other NAP assets are deployed). Biodiversity will change and conditions will become more suitable for the establishment of non-native species, especially along the Antarctic Peninsula. These challenges should be urgently addressed by the ATPs and by members of the CEP.

RESEARCH RECOMMENDATIONS

Specific research recommendations from this report are included within each of the major chapters. The sources of the recommendations, where details may also be found, are the SCAR Horizon Scan [Kennicutt *et al.* 2019] and SCAR Scientific Research and other programs [SCAR 2022], though several modifications have been made to these recommendations in light of new research findings.

Here we make recommendations for the most significant and urgent research needed. Given the climate change focus of this report, the recommendations focus on changes in the region that have significant implications for the Earth System and for society, and on the expected impacts of climate change on the region's biodiversity.

RR 1 Further support the research required to reduce uncertainty about the future of the region and its impact on the Earth System and to identify commensurate management responses. Integrated, international and targeted long-term monitoring programs and observatories are among the most important for reducing uncertainty and for understanding the likely impacts of mitigation and adaptation responses.

RR 2 Urgently reduce uncertainty about the current and future behaviour of the Antarctic Ice Sheet. The current observation network, especially for the hydrology and conditions at the base of the ice sheet, and the temperature and bathymetry of ice shelf cavities, coastal regions and the continental shelf, is inadequate to

fully anticipate change and to understand the risks of ice shelf collapse, loss of buttressing and rapid ice sheet mass loss in the coming decades. An international effort is urgently required to address this. A major exploration is required of key (unexplored) ice shelves and upstream glaciers using direct access techniques, ocean and airborne robotics, icebreaking ships, aircraft and space-borne remote sensing and other means to understand the ablation regime of the Antarctic ice sheet along the periphery; how it is has changed in the past, is currently changing and will change in the future; and how this will drive rapid ice mass loss and sea level rise from Antarctica.

RR 3 Understand how changes in atmospheric circulation drive changes in ocean currents around Antarctica and the advection of ocean heat onto the continental shelf, into the ice shelf cavities and in contact with the glaciers, and the influence of meltwater feedbacks.

RR 4 Determine what the contribution will be of the Antarctic Ice Sheet to future sea level rise and reduce uncertainties in projections of the rate and magnitude of that contribution, and effectively communicate the impacts and risks to stakeholders and users.

RR 5 Account for and develop a detailed process-based understanding of the contemporary annual-to-decadal time-scale trends in the Antarctic climate system. Knowledge of how climate change and variability in the high southern latitudes are connected to lower latitudes, including the tropical oceans and monsoon systems, and will respond to ongoing changes to the ozone hole and to other anthropogenic forcing, is critical for improved climate projections and anticipation of extreme climate events.

RR 6 Determine why the properties and volume of Antarctic Bottom Water are changing, and what the consequences are for global ocean circulation and climate.

RR 7 Establish which species, ecosystems and food webs are most vulnerable in the Southern Ocean, how they are likely to change, and which organisms are most likely to go extinct and over what period, as a consequence of climate change and local interactions such as with non-native species.

RR 8 Determine how increases in marine living resource harvesting in the context of climate change impacts will affect harvested, associated and dependent species and Southern Ocean biogeochemical cycles, in contrast with other groups.

RR 9 Establish which terrestrial ecosystems and food webs are most vulnerable, how they are likely to change, and which organisms are most likely to decline and/ or to go extinct and over what time period, as a consequence of climate change and local interactions such as with non-native species.

